DHS 8022 A

Printed/Typed Name

(Rev. 6-89) Previous editions are obsolete.

EPA 8700-22

Do Not Write Below This Line

Signature

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

Day

Year

Month

DHS 8022 A

(Rev. 6-89) Previous editions are obsolete.

Printed/Typed Name

Do Not Write Below This Line

YELLOW: GENERATOR RETAINS

Month Day

Year

WEIGHT TICKET

VENDOR: UNITED PUMPING SERVICE	
TRUCK #: MY Tay	GROSS 69450
DATE: 2-8-93	TARE 34090
CONTENTS: WASTE OIL & WATER	NET 35 360
DISPOSAL FACILITY: CHEM TECH	DRUM COUNT
DRIVER: ENRIQUE	GALLONS 5000
S' TE MANIFEST DOCUMEN	VT. 'MBER: 904/1860



UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 32222

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326

FAX (818) 336-7734

	PAGE_	OF
DATE WORK PERFOR	10192	
DATE OF THIS REPOR	Assessment of the second	NO DE CENTRAL DE COMPANION DE CO
TME CALL RECEIVED	opera en antico de procesa de la companya de la comp	
CONTRACT NO.:	0.80	

CUSTOMER/ADDRESS	\mathcal{O}_{Δ}	3645		1 (ATE WORK I	b /s	D. <u>19</u>	Z Z	
19583 K N					ALE CALL ARK			Mildrand pomorphista (Apres redocume	ouoresidenin singer
PHONE NO. TORPANC	CONTACT	<u>ca</u>			ONIRACT				
LOCATION:				ナし	SSS REPORT	NO./P.O.	NO.:		
SCOPE OF WORK: FROM HOLS		T 5,000 El	en e	245.		ou.	44	SATI	
FROM Hols	11.4	TANK						36.79 107 (87.86 (87.8	
EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
VACUM TRUCK	434	ENRIBUE	10/15	11:35	ع (22	hand given a second			
		general special specia	200 Aug	A. S.	10.7				
	AND THE PROPERTY OF THE PROPER			et geografia en estado espejanto de estado de	west increase and constraint or the				
				Andrews of the total					
					enskammencoco er	ricenso de concessorquado			Section (Control of Control
			and the second						
PERSONNEL:	1	me	START	ARRIVE	TIME	STOP	S.T. TIME	O.T.	TOTAL HOURS
NAME			- III	- Trenc					
									-
									000000000000000000000000000000000000000
					Annual Control of the	C Complete Control Control Control			
				1					

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	en	_UNIT
90411860	CHAM TECH	5.22	<u>~1</u> 2
		7	*****
	And the street of the street o		
The second of th			

COMSUMABLE:	GIV	TYPE	ету
		ett det til 1.5 och det det det programme generale state det programme som det programme som det programme best	
		-4%.	

ADDITIONAL INFORMATION

CUSTOMER COPY BOE-C6-0194761

Receiving Receipt and Manifest

FROM

Enterprise Battery Warehouse

10534 Norwalk Blvd.

Santa Fe Springs, CA 90670 (213) 944-9808

· · · · · · · · · · · · · · · · · · ·
AND THE RESERVE OF THE PERSON
a_
lbs.
0.50
TERIES
1 1 1 1
Marie and Marie and American State of S

Alco is CAD008387520 GNB is CAD097854541

CERTIFICATE OF TREATMENT/RECYCLING ISSUED TO ISSUED TO

DOUGLAS WARCRAFT COMPANY

90411860 MANIFEST NUMBER

DATE RECEIVED

FEBRUARY 8, 1993

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited istricts of Los Angeles County. is performed under permits granted to CHEM-TECH SYSTEMS, to waste discharge requirements established by the Sim ACT and to effluent requirements established by the S

When the above described material is accepted by CHEM-TECH SYSCEMIS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will lastne this certificate that all material has been handled in accordance with applicable permits, and the certificate holder's liability has been terminated.

SELECTED SEL SEPT. 4,

PROCESS""OPERATIONS PLANT WANAGER

8, 1993

FEBRUARY

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

REQUEST FOR FACILITIES MATERIAL

Serial No.

203575

EMERGENCY (JUSTIFICATION) [Ε] CRITICAL			ROUTINE					
Requested By			Employee No.	l Ph	one	Date	Dept.	C/W/W	Bldg & Column	n Bene	fiting Dept.	es C
Acct, No./CCN	A.K.	Employable ph	PEMO/Source	a Grand Selective 2012 (Selection)	nt Work Order/ARO	1 22 7	<u> </u>	and I	Date Material F	Required	No. 2	C. / ***
		Dhi.					1907 1907 1908		(35)	A DELONGO PER CANADA PARA PARA PARA PARA PARA PARA PARA P	Q.	
Item Oty	O/U	Vendor Pa	art No.			Description	/Manufacturing	E e e		Unit	Price	P/U
() (c /	10	171000			3000		Sec. 27/50					
in the second	1						ħ					
	+	Section 19 Section 19 Section 19	26.24.34.64.				000					-
		112	send I'm									
		Q_1, Q_2^{-1}	A. 1 N									
	\dagger	* 11	3752799									
and the same									- 60			+-
		10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -										
		100 May 11 May 1										
		The second secon										
_						-150						+
	JUS	STIFICATION		Suggested S					S	UBTOTAL		
					111		Harris	Land Comment			44.00	DAY.
				Phone No.		***				TAX		
95				I Hone No.						TOTAL		
					NAME OF TAXABLE PARTY OF TAXABLE PARTY.	ERIAL FOR			AUTHC	RIED SIGN		
				Machine/Equ	иртеп		A /4 1	7.	4.7 E	$I_{2n}M$.	Date 23 - 7	
				Model/Manu	facture		77.7		room Cord.		Date	
				Serial No.				Grou	p Leader		Date	e
				Genanie.								
Deliver To				Size/Type				Busin	ess Unit Manag	er	Dat	e
Bldg.		Column	Dept.	DAC/Contro	l Number		Bidg/Column	BO&	A Group Leader		Dat	e
Name		E	xt.						ausa r a	l north	anod T	
] DISTRIBUTI	ON	G 1, /,	4	gned To	Heassi	gned To	
					_		AM PM	#		ANALYST		
Supplier		GPOS BUSI	INESS OPER	ATIONS &	ACQUISITION Work Order No.	ONLY		Nam	e	ANALIST	Date	
Supplier	7.37	1205			3,40,10,			ivaili	750	2	<u> </u>	
Supplier Name/	Address	70 (80)			Purchase/Contract N	lo.	and the second	Expe	ected Shipment I	Date		
	, all		and the second		CCN	3.330 3.56	and the second	Ship	Location			
1.2.1	L.K.		S		Acet No	-4-CL) /	1	VIA				
Phone No.					Acct No.	and the second		\ \	V			
Supplier Contac	1				Chg to Dept	PEM	IO/Source	FOI	В ,			
	light.				(11 - 63				~^~~			



UNITED PUMPING SIRV

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326 FAX (818) 336-7734 SALES FAX (818) 961-3799 OPERATIONS

DOAI2

SOLD TO:

Douglas Aircraft 19503 So. Normandie, C-6-711 Att: Polly Dini, C6-13 Torrance, CA 90502

JOB SITE:

Douglas Aircraft 19503 So. Normandie, C-6-711 Att: Polly Dini, C6-13 Torrance, CA 90502

MANIFEST NO.

TERMS

net 30

02/19/93

90411860

02708793

SALESPERSON

OUANTITY	·	DESCRIPTION		UNIT PRICE	Y TOTAL
1. 1. 0.	00 Load 907 Trans. to 120 BBLS 00 Load 700 Disposal F 00 Each 701 Disposal S 25 Hrs. 710 Additiona 50 Hrs. 711 Additiona	STAINLESS STEEL fee: Service Charge: I loading time:	A	422.50 2,795.00 195.65 69.00 69.00	422.50 2,795.00 195.65 17.25 172.50
	DIRECT DELIVERY SHIPMENT Material Accepted As Listed	TOTAL AMOUNT DUE		\$ ************************************	3,602.90

Exceptions Noted:

Employee Number 025531

Dept. # 710 Pars 3/3/93

C330487



CUSTOMER/ADDRESS

UNITED PUMPING SERVICE, INC.

FIELD WORK ORDER 32222

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326

FAX (818) 336-7734

PAGE_ OF_ DATE WORK PERFORMED:

umunaminana kanana kana					ori kagamanan talan mendindakan ana adalah Sebaha		ATE OF THE	REPORT		SEC.	CONTRACTOR OF THE PROPERTY OF
[2014년 1일 : 10 10 10 10 10 10 10 10 10 10 10 10 10	3982-N.						VE CALL RE	CEMED:	Carrier Congression Constitutions	New York Control of the Control of t	annesse en
	<u> REAN C</u>				a seinem ann ann ann ann ann ann ann ann ann an	7 -	ONTRACT	√ 0.:		anterioren er	насавионнующения
LOCATION / C / N	1011/1			alto hand sidalang dipandi yang karana gang yang dipang ang dipang ang dipang ang dipang ang dipang ang dipang	at one and non-freehant through the constraints		OSS REPOR	NO./P.O.	NO.:		madajindi dilikali Taran sa
								242	220	525	
SCOPE OF WORK:											
	n Hold	<u> </u>		5.30	4	<u>C 4 5</u>	78-10-10-10-10-10-10-10-10-10-10-10-10-10-	014	Zamer Grant (Co.
							1,345			- 1	and the second
EQUIPMEN TYPE	i:	EQUIPMENT NO.	OPER/		START TIME	ARRIVE TIME	TIME	STOP TIME	8.T. TIME	0.T. TIME	TOTAL
LACUM	7-11-11	L. of constant A	ENRIB		1415	17.32	77/5				225
			572/674	2) 22		1,72st					45
		MACHINE CONTRACTOR OF THE PARTY			***					A CONTRACTOR OF THE CONTRACTOR	
nengione in en la come a come a come a come a come in en		and are not a section of a sect									
usub popularia mataria se se se contribio de desergiante est esta atropa de amendado i contributados material								STREET OF STREET, STRE			
	ngermpela neri de nette galinia et es kirjan el mentre de la transporte mentre de estado en militar de la filo	CONTROL CONTRO		AGE NOTICE INCOME.							
	es conserves security turn di security security actions de instruction avail a security action de carbonis a d		Constitution of the Consti								
						1	To a ser				
PERSONNE			TMLE	PART PRINTED TO THE PART OF TH	START TIME	ARRIVE TIME	TIME	STOP TIME	8.T. TIME	O.I. TIME	TOTAL HOURS
	e de companya de la companya del la companya de la										
				forga	3.5						
		transfer to the									
								in Christian Children Control State	Note in the desiration of the second	processive constant and the constant of	
		processor secondo se						e internativa establishe establishe	PROVINCE CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CO		
			*	jê Heriotopia							
DISPOSAL: MANIFEST NO.	DISPOSAL SITE		en/ Lunn	1 Comment	COMSU	MABLE:	T e	w I	TΥP	***************************************	/ Na
and the second s					(1)						
10411860	CALANTE		Jeco Els.						540 4 5 C C C C C C C C C C C C C C C C C C	Company of the state of the sta	NOTE OF THE PROPERTY OF THE PR
				-					en un maio del tributo de propieto de la constante de la const	raya (2004) on min min manana (1005)	

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	Gīv /	UNIT	
90411860	CHEM-TECK -	5,000	els.	
nandala dia seperanjakan arang salahan jaran sara-saran saran sarah sarah menandah manandal (dibida dia menenaman				
remaining significant control for and visit billion of visit billion of control of the control o	The first and an angular (Caraca Caraca Cara			
nomen en de primer par que de come en composition par de production de la constitución de la constitución de constitución de la	Control of the Contro			

SAME DE LA COLONIA DE LA COLON	COMSUMABLE: TYPE	GTY	W.	en)
and a second second				

ADDITIONAL		

INVOICE COPY



LOS ANGELES, CALIFORNIA 90023 (213) 268-5056

INVOICE DATE: 02/11/93 JOB DATE: 02/08/93

INVOICE NUMBER: 0010110-IN

10110

1001120

INVOICE TO: UNITED PUMPING 14016 E VALLEY BLVD CITY OF INDUSTRY CA 91746


RE: NON RCRA HAZARDOUS WASTE LIQ (MACHINE COOLANT)

GENERATOR:

DOUGLAS AIRCRAFT COMPANY 19503 S. NORMANDIE AVENUE TORRANCE

CA 90502

CUSTOMER P.O.	MANIFEST # 90411860	WAST ID # 101012-01	TERMS DUE UPON	RECEIPT	
many wasse driver driver place length driver comp blade which made comp		QTY	UNIT	PRICE	AMOUNT
LAB # 93-247	TRANSPORTER:	UNITED PUMPING	nter dan san was man man dan app app gan ada aba app		
OB - BULK CHEMICAL U		4300.00 4300.00	GAL GAL	.45 .20	1,935.00 860.00



INVOICE TOTAL:

2,795.00



court costs.

Nº 01704 CHEM-TECH SYSTEMS, INC. TRIPLE J TREATMENT CENTER 3650 E. 26th Street, Los Angeles, CA 90023

(213) 268-5056

WEIGHMASTER CERTIFICATE
THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

	er dennes av mermett traket til tillet fill mennest ble			
TRANSPORTER)	GENERATOR		
POINT OF ORIGIN	R	36	WEIGHED AT EM-TECH SYSTEMS, INC. 50 EAST 26TH STREET IS ANGELES, CA 90023	
69930	34	(ibs.) 050	35 PSV	
HAZARDOUS AND NON-HAZARDOUS			HAZ MANIFEST NO 9041/800	
TRUCK LIC NO	DT 70	LIC.NO 7714 455	TRANS EPA NO	
BY: CHEM-TECH SYSTEMS, INC. WEIGHMASTER			OFFICE USE ONLY RAVITY	
	.	1	001	
DEPUTY:	5. 1:33	@		
TIME:	50	3T	ons @	
DRIVER'S SIGNATURE				
A service fee of 1 1/2 pero				

institute legal proceedings, purchaser agrees to pay reasonable attomey's fee and

GALLONS:

300

\$102

CHEM-TECH SYSTEMS, INC.

THIS FORM MUST BE FILLED OUT COMPLETELY BY THE DRIVER. This information will assist CHEM-TECH with its on-going efforts to shorten driver waiting time and improve service by eliminating any unnecessary delays.

DATE 2-8-93 LOAD NO	14 MANIFEST NO	
TRANSPORTER	GENERATOR TORTS	
TRAILER NO. 7-14	_ TRACTOR NO	
TIME IN SO PM (*) DROP TRAILER	YES() NO() TIME OUT	AM() PM()
SAMPLE COLLECTED	TIME	AM () PM ()
LOAD STATUS: () ACCEPTED () REJECTED	TIMEAM() PM()	()
OFFLOADING START TIME 5-50		AM() PM()
WASHOUT: YES () START TIME	AM() TIME COMPLETED	AM () PM ()
IS TRAILER CLEAN? YES () NO () OF NO, STATE RE		
DRIVER'S SIGNATURE		

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services Toxic Substances Control Division Sacramento, California

	M HAZARDOUS	1. Generator's	US FPA ID No	0.005100	Manifest Sament Ro⊏	2. P	1 Info	rmatios in	the shaded areas	
WASTE	E MANIFEST		8 6 3 1	0 0 0 5 9			KANTON BURNON BU	acontrol of the same of the sa	by Federal law.	
Douglas A	ame and Mailing Address Aircraft Compa	any, Attn:)		e Manifest Do	90	<u> 411860</u>)
19503 S.	Normandie Ave	e., Torrand 126 or (310	ce, CA 9 0)533-72	0502 31			e Generator's A, H, Q, 3), 5, 6, 9, 8,	
5. Transporter 1	Company Name		6.	US EPA ID Number		C. Stat	e Transporter'	1D 06	31362	
7. Transporter 2	umping Service	3	TC A D	0, 7, 2, 9, 5, US EPA ID Number			sporter's Phore Transporter's		(8) 961-932	- 0
7. Hansporter 2	Company Name						sporter's Phon		· · · · · · · · · · · · · · · · · · ·	***********
T	cility Name and Site Addr		10.	US EPA ID Number	-		Facility's ID	a.n 2	22681	-
t	n Systems, Inc 26th Street	•				H. Faci	TI/ QQ	000	3618/1	
Vernon, C			$_{1}C_{1}A_{1}T$	0, 8, 0, 0, 3	3, 6, 8, 1	(213) 268-33	387		
11. US DOT Desc	cription (Including Proper	Shipping Name, Ha	azard Class, ar	d ID Number)	12. Cont	. 1	13. Total Quantity	14. Unit	i. Waste No.	
a.					No.	Туре		Wt/Vo	State 223	
Non-RCRA	Hazardous Was	ste Liquid	(Machin	e Coolant)	0.01	m m	a.9F 		EPA/Other N/R	
b.	* '			atoma more amangement and a later to the second at the sec	0 0 1	111	<u> </u>	ر G	N/K State	
									EPA/Other	
					11					
c.									State	
and of the second							1111		EPA/Other	
d.	A	······································							State	
									EPA/Other	
1					1 1	1 1		1	į.	
a)Tank 40 Synthet	oriptions for Materials List of Machine Coolic Oil 0–8%,	olant Oil , Tramp Oils	CTS #10	1012-01:	leaner	K. Handa.	Iling Codes for	Wastes L	isted Above	
a)Tank 40 Synthet 0-5%, W	T Machine Coo tic Oil 0–8%, Vater 72–100%.	olant Oil , Tramp Oils	CTS #10 s 0-15%,	1012-01: Alkaline C	and and thinks the Debug State of the State	a. C.	01	d.		
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of	T Machine Coo ic Oil 0-8%, Vater 72-100%. Ing Instructions and Addition of accident courses into sewer	Dlant Oil , Tramp Oils tional Information Ontact Chem or waterv	CTS #10 s 0-15%,	1012-01: Alkaline C 800-424-93	00. Do	a. c. not b	reathe	d.	,	
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not was	T Machine Coo ic Oil 0-8%, Vater 72-100%. Ing Instructions and Addition	Dlant Oil , Tramp Oils tional Information Ontact Chem or waterv	CTS #10 s 0-15%,	1012-01: Alkaline C 800-424-93	00. Do	a. c. not b	reathe	d.	,	
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wan Volume is 16. GENERATOR and are class national govern	T Machine Coo ic Oil 0-8%, Jater 72-100%. Ing Instructions and Addition of accident cought accident cought ash into sewer approximate. S CERTIFICATION: The ified, packed, marked, and	Dlant Oil, Tramp Oils tional Information Ontact Chen or waterv ereby declare that nd labeled, and are	CTS #10 s 0-15%, mtrec at way. If	1012-01: Alkaline C 800-424-93 unable to d	00. Do eliver,	c. not b retu curately d y highway	reathe rn to ge	d. d. vapors	, OT.	
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand Volume is 16. GENERATOR and are class national gover If I am a large to be econom present and free	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Ing Instructions and Addition of accident courses accident course approximate. S CERTIFICATION: The ified, packed, marked, an	Dlant Oil, Tramp Oils tional Information Ditact Chem Ontact Chem Or waterv ereby declare that nd labeled, and are tify that I have a pr at I have selected to alth and the environ	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if i	Alkaline C 800-424-93 unable to d this consignment arin proper condition f	00. Do eliver, e fully and acor transport be and toxicity, storage, or openerator, I have	c. not b retu curately d y highway of waste	reathe or no get escribed above according to generated to urrently available	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and	
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand Volume is 16. GENERATOR and are class national gover If I am a large to be econom present and free	T Machine Coo ic Oil 0-8%, Jater 72-100%. Ing Instructions and Addition of accident control in the sewer is approximate. SCERTIFICATION: The service of the sewer is approximate. SCERTIFICATION: The service of the sewer is approximate, and the sewer is approximate, and the sewer is approximated to the sewer in	Dlant Oil, Tramp Oils tional Information Ditact Chem Ontact Chem Or waterv ereby declare that nd labeled, and are tify that I have a pr at I have selected to alth and the environ	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available in the content of the content o	Alkaline C 800-424-93 unable to d (this consignment arin proper condition f to reduce the volumenthod of treatment, am a small quentity gible to me and that I ignature	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and thave determined thich minimizes the limize my waste	· (ear
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case o do not wa Volume is 16. GENERATOR and are class national gover If I am a large to be econom present and fi generation and Printed/Typed Nar Robert G.	T Machine Coo cic Oil 0-8%, Jater 72-100%. Jater 72-100%. In provided the second of accident control of ac	Dlant Oils Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available in the content of the content o	Alkaline C 800-424-93 unable to d (this consignment arin proper condition f to reduce the volumenthod of treatment, am a small quentity gible to me and that I ignature	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and I have determined which minimizes the imize my waste	Year 9 3
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand was a class national gover if I am a large to be economor present and fregeneration and Printed/Typed Narransporter 1. Robert G.	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked and Additional and Additional accident control and Jacked Marked, and Additional accidity practicable and that uture threat to human head delect the best wastender Tuell, Jr. Acknowledgement of Reconstructional Acknowledgement of Reconstructional accordance of the Acknowledgement of Reconstruction and Jacknowledgement of Reconstruction and Jacknowledg	Dlant Oils Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament; OR, if I od that is available so the practicable nament.	Alkaline C 800-424-93 unable to d this consignment are in proper condition of the atment, am a small quantity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and thave determined which minimizes the imize my waste Month Day y	9 3
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand was a special Handli 6. GENERATOR and are class national gover if I am a large to be economore present and for generation and Printed/Typed Name Robert G. 17. Transporter 1. Printed/Typed Name Robert G.	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked and Additional for accident course approximate. Jacked and Jacked and Jacked and Jacked and Jacked and Jacked J	Tramp Oils Tramp Oils tional Information Ontact Chen Ontact Chen Or waterv ereby declare that nd labeled, and are tify that I have a pr at I have selected to alth and the environ management method ceipt of Materials	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available so the practicable so the	Alkaline C 800-424-93 unable to d (this consignment arin proper condition f to reduce the volumenthod of treatment, am a small quentity gible to me and that I ignature	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and thave determined which minimizes the imize my waste Month Day y	
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand was a class national gover lift am a large to be economoresent and fingeneration and Printed/Typed Name Robert G. 17. Transporter 1. Printed/Typed Name C. 166 C.	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked and Additional and Additional accident control and Jacked Marked, and Additional accidity practicable and that uture threat to human head delect the best wastender Tuell, Jr. Acknowledgement of Reconstructional Acknowledgement of Reconstructional accordance of the Acknowledgement of Reconstruction and Jacknowledgement of Reconstruction and Jacknowledg	Tramp Oils Tramp Oils tional Information Ontact Chen or waterv ereby declare that nd labeled, and are tify that I have a prat I have selected to alth and the environmanagement method	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available so the practicable so the	Alkaline C 800-424-93 unable to d this consignment are in proper condition of the atment, am a small quantity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and thave determined which minimizes the imize my waste Month Day y	9 3
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not wand was a class national gover lift am a large to be economoresent and fingeneration and Printed/Typed Name Robert G. 17. Transporter 1. Printed/Typed Name C. 166 C.	T Machine Coolic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked	Tramp Oils Tramp Oils tional Information Ontact Chen or waterv ereby declare that nd labeled, and are tify that I have a prat I have selected to alth and the environmanagement method	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if I od that is available in the contents of the practicable nament; OR, if I od that is available in the contents of the co	Alkaline C 800-424-93 unable to d this consignment are in proper condition of the atment, am a small quantity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	00. Do eliver, e fully and acor transport be e and toxicity, storage, or commerciator, I had	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or . It shipping name international and thave determined which minimizes the imize my waste Month Day Month	9 3
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not way Volume is 16. GENERATOR's and are class national gover lift am a large to be economoresent and for generation and Printed/Typed Name Color Co	T Machine Coolic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked, and Jacked, a	Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if it od that is available in section of the practicable section of the practicable nament; OR, if it od that is available in section of the practicable nament; OR, if it is odd that is available in section of the practical properties of the properties of the properties of the practical properties of the practical properties of the practical properties of the pr	Alkaline C 800-424-93 unable to d this consignment are in proper condition for the reduce the volume method of treatment, am a small quentity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	e fully and ac or transport be and toxicity, storage, or or generator, I had can afford.	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or . It shipping name international and thave determined which minimizes the imize my waste Month Day Month	9 3 (ear
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not way Volume is 16. GENERATOR's and are class national gover lift am a large to be economoresent and for generation and Printed/Typed Name Color Co	T Machine Coolic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked, and Jacked, a	Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if it od that is available in section of the practicable section of the practicable nament; OR, if it od that is available in section of the practicable nament; OR, if it is odd that is available in section of the practical properties of the properties of the properties of the practical properties of the practical properties of the practical properties of the pr	Alkaline C 800-424-93 unable to d this consignment are in proper condition for the reduce the volume method of treatment, am a small quentity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	e fully and ac or transport be and toxicity, storage, or or generator, I had can afford.	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or . It shipping name international and thave determined which minimizes the imize my waste Month Day Month	9 3 (ear
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not way Volume is 16. GENERATOR's and are class national gover lift am a large to be economoresent and for generation and Printed/Typed Name Color Co	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked and Additional and Additional and Jacked Additional Addition	Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of a in all respects rogram in place the practicable nament; OR, if it od that is available in section of the practicable section of the practicable nament; OR, if it od that is available in section of the practicable nament; OR, if it is odd that is available in section of the practical properties of the properties of the properties of the practical properties of the practical properties of the practical properties of the pr	Alkaline C 800-424-93 unable to d this consignment are in proper condition for the reduce the volume method of treatment, am a small quentity gible to me and that I ignature LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL	e fully and ac or transport be and toxicity, storage, or or generator, I had can afford.	c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or . It shipping name international and thave determined which minimizes the imize my waste Month Day Month	9 3 (ear
a) Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not way Volume is 16. GENERATOR and are class national gover if I am a large to be econom present and fregeneration and Printed/Typed Nar Robert G. 17. Transporter 1. Printed/Typed Nan 18. Transporter 2. Printed/Typed Nan 19. Discrepancy In	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked Jack	Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of the contents of the practicable nament; OR, if I odd that is available of the practicable of t	Alkaline C 800-424-93 unable to d this consignment are in proper condition for the reduce the volument as small quantity gible to me and that I signature HBDDGG s covered by this man	oo. Do eliver, e fully and ac or transport be and toxicity, storage, or commerator, I had can afford.	a. c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or shipping name international and I have determined thich minimizes the imize my waste Month Day Y 1 Q 2 Q 8 Month Day Y	9 3 (ear
a)Tank 40 Synthet 0-5%, W 15. Special Handli In case of do not way Volume is 16. GENERATOR and are class national gover if I am a large to be economy resent and funderation and Printed/Typed Name Robert G. 17. Transporter 1. Printed/Typed Name Inc. 1. I Printed/Typed Name Inc. 1. I I I I I I I I I I I I I I I I I I	T Machine Coo ic Oil 0-8%, Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jater 72-100%. Jacked Jack	Tramp Oils	CTS #10 s 0-15%, mtrec at way. If the contents of the contents of the practicable nament; OR, if I odd that is available of the practicable of t	Alkaline C 800-424-93 unable to d this consignment are in proper condition for the reduce the volument as small quantity gible to me and that I signature HBDDGG s covered by this man	00. Do eliver, e fully and ac or transport be and toxicity. Storage, or to can afford.	a. c. not b retu curately d y highway of waste lisposal c ive made	reathe or to get escribed above according to generated to currently availate a good faith e	d. d. d. vapors enerat e by prope applicable the degree	or . It shipping name international and thave determined which minimizes the imize my waste Month Day Month	9 3 (ear



court costs.

CHEM-TECH SYSTEMS, INC. TRIPLE J TREATMENT CENTER 3650 E. 26th Street, Los Angeles, CA 90023 (213) 268-5056

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

TRANSPORTER.	No.	GENERATOR		
POINT OF ORIGIN	2	3650	WEIGHED AT 1-TECH SYSTEMS, INC. 1 EAST 26TH STREET ANGELES, CA 90023	
GROSS WT (lbs.) 69930	TAREW	rt (lbs.)	NET WT (lbs.)	
HAZARDOUS INON-HAZARDOUS	WASTE TYPE CB		HAZ MANIFEST NO HO4/1860	
TRUCK LIC NO.	TRAILER		TRANS EPA NO	
DEPUTY: DATE TIME:	- 	FOR SPECIFIC GF 1 ② 2. HazardousT 3 4 TOTAL \$	## 345 lbs. Waste Fee	

GALLONS: